

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## Adamax - 10mg

Tested for: Sequence Pure Peptides  
www.SequencePure.com

COA #: COA-2026-VLRMY7  
Lot Number: SPP-0617-26  
Labeled Content: 10mg

Analysis Date: 06/29/2026  
Appearance: Good  
Date Received: 06/18/2026

Method: Purity & Quant (HPLC)

PASS



Scan to verify  
authenticity at ils-lab.com  
Access Code: 36MKD7M3

|          |                |               |
|----------|----------------|---------------|
| Identity | Peptide Purity | Fentanyl Free |
| Adamax   | 99.67%         |               |


### Purity & Quant (HPLC)

| Analyte               | Specification                | Result       | Unit | Status |
|-----------------------|------------------------------|--------------|------|--------|
| Peptide Purity (HPLC) | >= 95.0%                     | 99.67%       | %    | PASS   |
| Net Peptide Content   | Report Only                  | 10.24        | mg   | N/A    |
| Identity (HPLC-RTM)   | Adamax (M=984)               | Confirmed    | -    | PASS   |
| Fentanyl Screen       | Immunoassay, 50 ng/mL cutoff | Not Detected | -    | PASS   |



Adamax 10mg - SPP-0617-26

### HPLC Chromatogram



Adamax 10mg - SPP-0617-26: UV Chromatogram

### Notes & Methodology

- Date Tested: 06/29/2026. Methods: Purity & Quant (HPLC).
- The sample was confirmed to be Adamax by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.



*Dr. Greg Kalyuzhny*

Dr. Greg Kalyuzhny  
Lab Director  
6/29/2026

COA #: COA-2026-VLRMY7  
Access Code: 36MKD7M3  
Verify: lab.ils-lab.com  
Issued: 6/29/2026