

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

KLOW 80mg - 80mg

Tested for: Sequence Pure Peptides

www.SequencePure.com

COA #: COA-2026-9LFPXU
Lot Number: 061826
Labeled Content: 80mg
Vial Size: 3

Analysis Date: 06/29/2026
Appearance: Good
Vial Size: 3
Date Received: 06/18/2026

Method: Blend Purity & Quant (HPLC)

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: WTW9Q2WK

Identity	Peptide Purity	Fentanyl Free
KLOW 80mg	99.91%	


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.91%	%	PASS
Net Blend Peptide Content	Report Only	84.59	mg	N/A
-- GHK-Cu		53.00	mg	
-- BPC-157		10.50	mg	
-- TB-500		10.71	mg	
-- KPV		10.39	mg	
Identity (HPLC-RTM)	GHK-CU + BPC-157 + TB-500 + KPV	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



KLOW 80mg 80mg - 061826

HPLC Chromatogram



KLOW 80mg 80mg - 061826: UV Chromatogram

Notes & Methodology

- Date Tested: 06/29/2026. Methods: Blend Purity & Quant (HPLC).
- The sample was confirmed to be KLOW 80mg by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, BPC-157, TB-500, KPV). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
6/29/2026

COA #: COA-2026-9LFPXU
Access Code: WTW9Q2WK
Verify: lab.ils-lab.com
Issued: 6/29/2026